



| WHO WE ARE |

— Who we are —

More than 20 years' Rich Experience, Technology and Professional
Manufacture in China,
specialized in producing Zoo Mesh products.

01

Who we are

Established in 1996 in Shijiazhuang, China, we've been specialized in the R&D, manufacture and sale of high-end stainless steel rope meshes ever since. The company covers an area of 22,600 m² and boasts 126 staff members, including 13 senior researchers. The company's registered capital is USD 3 million.

The stainless steel rope meshes developed and manufactured by us have strong tensile strength and anti-corrosion ability, pleasant to the eye and ultra-durable. What's more, we've been awarded the national utility model patent. Our products find a good market in China and also overseas markets, like the US, Mexico, Britain and Australia, etc. Our rich experience, advanced technology and reliable quality have won the trust of global customers.

Always adhering to the philosophy of "sincerity, preciseness, high efficiency and openness", we will keep offering the best services for our customers.

02






| WHAT DO WE DO |

— What do we do —



Zoo Mesh products:

100% Hand Woven, 304/316 stainless steel material,
Multi-stranded Wire Cables X-crossed, Strong, Flexible, Soft,
Durable, Never Rust, Never Corrosion, Useful Life Over 30 Years



Stainless Steel Wire Rope Mesh (Zoo Mesh)

The Stainless steel wire rope mesh was called Zoo Mesh by us and our customers. Zoo Mesh is hand-woven by high quality AISI 304 / 316 stainless steel Multi-stranded wire cables.

The knots of the Mesh are X-crossed, will not move and destroy. The shape of mesh holes are diamond, beautiful and elegant.

The Zoo mesh are Flexible, Soft, Strong, Durable, and technologically advanced, for users to create a very safe protection.

More importantly, the Mesh will never rust, never corrosion, can be used more than 30 years.


The stainless steel wire rope mesh's surfaces are smooth, will protect animal's skin and birds' feather, it is a good ideal for in and out side animal cage enclosure, bird netting, zoo fencing and as following in zoological, safari, parks, garden, exhibit, museum, protective center, wildlife park, decoration, Marine fisheries and other place.

Details of stainless steel wire rope mesh

▼ Material of stainless steel wire rope mesh: AISI 304 or 316 stainless steel



▼ Stainless steel wire woven mesh appearance beautiful and gentle



▼ Mesh panels of stainless steel wire rope mesh


Mesh panels size:

Customers' required sizes,
Height: 1' to 35';
Length: 1' to 70'.

Mesh panels shape:

Rectangle shape;


ZooMesh panel Direction



▼ The stainless steel wire rope woven mesh are with the soft touching, can be stretched, folded, rolled and packed naturally



▼ The wire rope Diameters and mesh Aperture :



▼ The list of Stainless Steel Wire Rope Mesh (Zoo Mesh)

Code	Wire Rope Construction	Min. Breaking Load (kN)	Wire Rope Diameter		Aperture		Unit weight (Kg/sq.m.)	Application
			Inch	mm	Inch	mm		
32152	7 x 19	7.32	1/8	3.2	6" x 6"	152 x 152	0.61	large and fierce animals like tiger, lion, leopard, orangutan
32127	7 x 19	7.32	1/8	3.2	5" x 5"	127 x 127	0.70	
32120	7 x 19	7.32	1/8	3.2	4.7" x 4.7"	120 x 120	0.76	
32102	7 x 19	7.32	1/8	3.2	4" x 4"	102 x 102	0.96	
3290	7 x 19	7.32	1/8	3.2	3.6" x 3.6"	90 x 90	1.10	
3276	7 x 19	7.32	1/8	3.2	3" x 3"	76 x 76	1.40	
3260	7 x 19	7.32	1/8	3.2	2.4" x 2.4"	60 x 60	1.65	
3251	7 x 19	7.32	1/8	3.2	2" x 2"	51 x 51	2.10	
24152	7 x 7	4.08	3/32	2.4	6" x 6"	152 x 152	0.35	large and fierce animals like tiger, lion, leopard, orangutan, monkey
24127	7 x 7	4.08	3/32	2.4	5" x 5"	127 x 127	0.42	
24102	7 x 7	4.08	3/32	2.4	4" x 4"	102 x 102	0.51	
2490	7 x 7	4.08	3/32	2.4	3.6" x 3.6"	90 x 90	0.60	
2476	7 x 7	4.08	3/32	2.4	3" x 3"	76 x 76	0.72	
2460	7 x 7	4.08	3/32	2.4	2.4" x 2.4"	60 x 60	0.87	
2451	7 x 7	4.08	3/32	2.4	2" x 2"	51 x 51	1.07	
2076	7 x 7	3.10	5/64	2	3" x 3"	76 x 76	0.50	small cat animals like mokey
2060	7 x 7	3.10	5/64	2	2.4" x 2.4"	60 x 60	0.76	
2051	7 x 7	3.10	5/64	2	2" x 2"	51 x 51	0.80	
2038	7 x 7	3.10	5/64	2	1.5" x 1.5"	38 x 38	1.10	
16102	7 x 7	2.12	1/16	1.6	4" x 4"	102 x 102	0.26	large birds
1676	7 x 7	2.12	1/16	1.6	3" x 3"	76 x 76	0.37	
1660	7 x 7	2.12	1/16	1.6	2.4" x 2.4"	60 x 60	0.45	
1651	7 x 7	2.12	1/16	1.6	2" x 2"	51 x 51	0.50	
1638	7 x 7	2.12	1/16	1.6	1.5" x 1.5"	38 x 38	0.65	small birds
1630	7 x 7	2.12	1/16	1.6	1.2" x 1.2"	30 x 30	0.90	
1625	7 x 7	2.12	1/16	1.6	1" x 1"	25.4 x 25.4	1.10	
12102	7 x 7	1.19	3/64	1.2	4" x 4"	102 x 102	0.15	
1276	7 x 7	1.19	3/64	1.2	3" x 3"	76 x 76	0.19	large birds
1251	7 x 7	1.19	3/64	1.2	2" x 2"	51 x 51	0.25	
1238	7 x 7	1.19	3/64	1.2	1.5" x 1.5"	38 x 38	0.40	
1230	7 x 7	1.19	3/64	1.2	1.2" x 1.2"	30 x 30	0.45	small birds, aviary
1225	7 x 7	1.19	3/64	1.2	1" x 1"	25.4 x 25.4	0.55	
1220	7 x 7	1.19	3/64	1.2	0.8" x 0.8"	20 x 20	0.73	

— *Application of zoo mesh* —



The ZOOMESH stainless steel wire rope mesh can be used for constructing cages in zoos, safari parks, wildlife parks, aviary park, garden, plant, stadium, decoration, bridges, and so on.

- Bird Aviary Netting
- Eagle Cage Netting
- Parrots Cage Netting
- Bird Cage Fencing
- Crane Cage Netting
- Monkey Enclosure Mesh
- Gorilla Cage Fence
- Deer Cage Fence
- Animal Fence Enclosures
- Tiger Cage Enclosure
- Lion Cage Mesh
- Leopard Cage Fence
- Netting

Zoo Protective Enclosure



The animal protective enclosure mesh suitable for kinds of large and fiercely animals, like: **Tiger enclosure mesh**, **Lion fence netting**, **Leopard cage fence**, **Bear fencing**, **large Cat cage enclosure mesh** and so many animals fencing.

Regular Specification


Mesh Apertures : 51mm x 51mm, 76mm x 76mm, 90mm x 90mm, 102mm x 102mm, 127mm x 127mm

Mesh Apertures : 2" x 2", 3" x 3", 4" x 4", 5" x 5"

Wire rope diameter : 3.2mm

Wire rope diameter : 1/8"

Material group : AISI 304, 304L, 316, 316L stainless steel





Bird netting



Bird netting is a very popular application of the Zoo mesh, including, **Bird aviary netting**, **Bird cage fencing**, **Parrot cage netting**, **Crane cage netting**, **Eagle cage netting**, and so on all kinds of birds netting construction.

Regular Specification:

Mesh Apertures : 20mm x 20mm, 25.4mm x 25.4mm, 30mm x 30mm, 38mm x 38mm, 51mm x 51mm, 76mm x 76mm

Mesh Apertures : 0.8" x 0.8", 1" x 1", 1.2" x 1.2", 1.5" x 1.5", 2" x 2", 3" x 3"

Wire rope diameter : 1.2mm, 1.6mm, 2.0mm

Wire rope diameter : 3/64", 1/16", 5/64"

Material group : AISI 304, 304L, 316, 316L stainless steel



Animal cage fence



Animal Cage Fence is a main application of the zoo mesh, include **Monkey enclosure mesh**, **Gorilla cage fence**, **Deer cage fence**, **Small animal fence netting**, can be used for caging animals like monkey, gorilla, deer, griffe, zebra, sheep, horse, fox, wolf, koala, kangaroo, and many animals.

Regular Specification:

Mesh Apertures : 30mm x 30mm, 38mm x 38mm, 51mm x 51mm, 76mm x 76mm

Mesh Apertures : 1.2" x 1.2", 1.5" x 1.5", 2" x 2", 3" x 3"

Wire rope diameter : 1.6mm, 2.0mm, 2.4mm

Wire rope diameter : 1/16", 5/64", 3/32"

Material group : AISI 304, 304L, 316, 316L stainless steel



Cylindrical cage netting Animal tunnel cagenetting

As the flexibility of stainless steel wire rope woven mesh, make it can be used for **tunnel and channel fence** of the animal cages. We can directly woven into a **tubular style**, but not the **later connection**. Mainly applied for the **monkey cage tunnel fence**, **tiger cages channel enclosure** and etc. This way could give more fun to the animals, but not only a beautiful style. Of course, which could also be applied for the connection of two non-adjacent cages.



Stadium fence Decoration mesh Bridges protective fence



In addition to animal fencing & enclosure & netting, bird cage net, the wire cable mesh can also be used for exterior decoration mesh, engineering protection fence, bridge guardrail fencing, staircase handrail net, stadium fence, acrobatics fence, all kinds of security protection fence, municipal construction mesh, etc. numerous fields.



Why choose us



| WHY CHOOSE US |




— *Why choose us* —

- **High Quality raw materials**
Import high quality Stainless Steel Wire rope AISI 304/316 material, line with international standards, never rust, anti-corrosion.
- **Favorable Factory Price**
Competitive price, but with highest cost performance ratio.
- **Huge Capacity**
An annual output of 180,000 m² of customized zoo meshes, with different mesh codes and panel sizes.
- **Factory Direct Supply**
Customers deal directly with us. No middlemen, no trouble! Fast and more profitable!
- **Short Lead Time**
Reply your inquiries Promptly.
Fast and prompt manufacturing and short shipment period, only 5 days for fastest shipment.
- **Professional**
A professional and trustworthy partner with 21 years of history since establishment in 1996.
- **Customized Size**
The wire rope zoo mesh woven by customized size, only rectangle shape can be produced.
- **Free Samples**
Contact us to acquire free samples for reference, we guarantee the mesh and samples are same.
- **Free Install Guide**
We provide installation guide services, if you have problem about installing, connection, cut the zoo mesh, we'd like to help.

Excellent Quality And Reasonable Price.

— Zoo mesh projects cases —



Monkey cage enclosure, 3600 m²
Chengdu Zoo
Zoomesh wire rope dia.: 2.0mm
Zoomesh aperture: 51mm x 51mm

Zoo mesh projects cases



Bird aviary netting, 4500m²

In Chengdu Zoo
Zoomesh wire rope dia: 1.6mm
Zoomesh aperture: 25.4mm x 25.4mm



Monkey Cage fence, 4000m²

Cali Zoo, GCOLOMBIA
Zoomesh wire rope dia: 1.6mm
Zoomesh aperture: 38mm x 38mm



Eagle cage netting, 2200m²

Beijing Zoo, China
Zoomesh wire rope dia: 1.6mm
Zoomesh aperture: 38mm x 38mm



Bird aviary netting, 9000m²

Zoomesh wire rope dia: 1.6mm
Zoomesh aperture: 51mm x 51mm



Tiger cage enclosure mesh,12000m²


Zoomesh wire rope dia: 2.4mm
Zoomesh aperture:51mm



Bird cage netting for small birds, 1200m²

Zoomesh wire rope dia: 1.6mm
Zoomesh aperture: 30mm x 30mm

— Faq —



Consult the price information immediately !
Your inquiries are warmly welcome!

FAQ

-- **Q** How to choose the suitable mesh code?

A According the zoo mesh code list or supply the animal kinds in cage, we'd like to recommend some for you.

-- **Q** How I get some free samples?

A The samples could be supplied cost free (less than 1 square meter), you have the following two ways to get the free samples:

(1) Contact your local couriers, say, FedEx, DHL, TNT or UPS,

and ask them to pick up the samples from our office.

(2) Let us have your Freight Collect Account number you registered in the above couriers, we will arrange the shipment by contacting our local branches.

-- **Q** Mesh panel shape

A The mesh panel size can customized as your required size, only rectangle shape can be produced. For easy to producing, shipping and installing, we suggest a piece of mesh panel's height not over than 35', the length not over than 70'.

-- **Q** Zoo mesh packing

A Rolled and packing in PP woven bags, about 70*70*60cm per 100kg

-- **Q** Payment Term

A We accept L/C or T/T transfer, but not credit card.

-- **Q** Production Lead-Time

A Need estimate according to the mesh models and quantity.

-- **Q** Minimum order quantity

A 100sq.ft / 10sq.m, or any numbers of trial order.

-- **Q** Shipment

A A variety of modes of transportation for your choose.

Our nearest sea port: XINGANG PORT, TIANJIN, CHINA

Our nearest air port: BEIJING, CHINA

Ways of shipment	shipping time	destination	costs	pick up or not
By sea	20-50 days	nearest sea port	the lowest costs	pick up
By air	7-15 days	nearest air port	high costs than by sea	pick up
By express	3-10 days	door to door	the highest costs	not